Printed Pages-4

ECE601

(Following Paper ID and Roll No.	to be fille	ed in	your	Ans	wer	Во	ok)
PAPER ID: 100601 Roll No.				Ĺ			

B.Tech.

(SEM. VI) THEORY EXAMINATION 2013-14

DESIGN OF CONCRETE STRUCTURES-2

Time: 3 Hours

Total Marks: 100

Note: -(1) Attempt all questions.

- (2) All questions carry equal marks.
- (3) Use of IS 456 and IS 3370 is permitted.
- (4) Assume any data suitably, if missing.
- (5) All designs must be supported by structural details.
- 1. Attempt any two parts of the following:

 $(2\times10=20)$

- (a) A flat slab is supported on 500 mm diameter circular columns spaced 6 m × 5 m apart in both directions. The column head has a diameter of 1000 mm. The live load on the flat slab is 5 kN/m². Determine the moments in the flat slab along its 6 m span in exterior panel.
- (b) A flat slab is supported on columns spaced at 5 m centre to centre in both directions. The sizes of the columns and column heads are 450 mm × 450 mm and 700 mm × 700 mm respectively. The superimposed dead

ECE601/DQJ-21193

[Turn Over

load and live loads are 2 kN/m² and 4 kN/m² respectively. The height of floor is 4.5 m. Design the interior panel of slab.

- (c) Design an interior panel of a flat slab for a live load of 5 kN/m². The slab is provided with a floor finish of 1 kN/m². The panels are 5.5 m × 5.5 m. Provide drops. Use M 20 grade concrete and Fe 415 grade steel.
- 2. Attempt any two parts of the following: $(2\times10=20)$
 - (a) A 500 mm × 700 mm rectangular ring beam curved in plan is supported on 5 columns located equi-distant on a circle of 9.0 m mean diameter. If the service load is 100 kN/m and diameter of columns is 350 mm, design the beam at a support. Use M 20 grade concrete Fe 415 grade steel. The coefficients for maximum positive bending maximum negative bending moment and torsion moment and are 0.033, 0.066 and 0.005.
 - (b) Design a square spread footing to carry an axial load of 1500 kN from a 400 mm square tied column containing 20 mm bars as the main reinforcement. The bearing capacity of soil is 100 kN/m². Consider base of footing at 1.2 m below the ground level. The unit weight of soil is 20 kN/m³. Use M 20 grade concrete and Fe 415 grade steel.
 - (c) Design a footing for the foundation of brick wall 400 mm thick and transmitting a load of 120 kN/m of its length. The bearing capacity of soil is 65 kN/m². The unit weight of earth is 17 kN/m³. Use M 20 grade concrete and Fe 415 grade steel.

ECE601/DQJ-21193

2

- 3. Attempt any two parts of the following: $(2\times10=20)$
 - (a) Determine the dimensions of a T-shaped retaining wall for a height of 5 m above the ground level. The top of the earth is surcharged at 200 with the horizontal. The angle of repose of earth is 30° and its density is 20 kN/m³. The safe bearing capacity of soil is 90 kN/m² and coefficient of friction between concrete and soil is 0.55.
 - (b) Design the vertical stem of a T-shaped retaining wall for a height of 3.5 m above the ground level. The top of earth retained is horizontal. The angle of repose of earth is 300 and its density is 20 kN/m³. the safe bearing capacity is 100 kN/m². Use M 25 grade concrete and Fe 415 grade steel.
 - (c) A slab culvert has a span of 4.5 m and a clear roadway between Kerbs is 10 m. Determine the value of maximum bending moment for a single vehicle of IRC Class A or two vehicles of Class A loading.
- 4. Attempt any two parts of the following: $(2\times10=20)$
 - (a) A circular water tank of 8 m diameter is 4.5 m high. The floor slab is monolithic with the walls. Design the wall of the tank.
 - (b) An Intze tank is to be provided for 1000 kl capacity.

 Determine the dimensions of all the components of the tank.

ECE601/DQJ-21193

3

[Turn Over

- (c) Write short notes on the following:
 - (i) Minimum reinforcement in water tank.
 - (ii) Causes of cracking and its controlling.
- 5. Attempt any two parts of the following: $(2\times10=20)$
 - (a) A beam is prestressed by a cable carrying an initial prestress of 600 N/mm². Calculate the percentage loss of prestress due to shrinkage of concrete if the beam is:
 - (i) pre-tensioned
 - (ii) post-tensioned.

Age of concrete at transfer is 7 days.

- (b) A beam of 200 mm × 400 mm is prestressed by a force of 400 kN by steel cables at an eccentricity of 60 mm. Determine the loss of prestress due to creep of concrete using following data:
 - σ_{ck} = 45 N/mm², cables 6 nos 7 mm, creep coefficient θ = 2, E = 200 kN/mm².
- (c) Calculate and draw the stress distribution at mid span for a rectangular beam 250 mm × 300 mm that is prestressed with a force of 500 kN at a constant eccentricity of 75 mm. The beam is supporting a 50 kN concentrated load at the mid span of 4 m span beam; neglect dead weight of the beam.

ECE601/DQJ-21193

8975