

(Following Paper ID and Roll No. to be filled in your Answer Book)


PAPER ID : 0112

Roll No.

--	--	--	--	--	--	--	--	--	--

B.Tech.**(SEM. IV) EVEN THEORY EXAMINATION 2012-13****THEORY OF AUTOMATA & FORMAL LANGUAGES***Time : 3 Hours**Total Marks : 100***Note :— Attempt all questions. All questions carry equal marks.****1. Attempt any four parts of the following :**


- (a) For the given languages $L_1 = \phi$, $L_2 = \epsilon$, and $L_3 = \{0, 1\}^*$. Compute $L_1.L_2$ and $L_2 \cup L_3$.
- (b) Construct a DFA for the language that contains the strings ending with 0.
- (c) Define the language of the following finite automaton.



- (d) Let $M = (Q, \Sigma, q_0, F, \delta)$ be an NFA. Show that for any $q \in Q$ and $a \in \Sigma$,

$$\hat{\delta}(q, a) = \delta(q, a)$$

- (e) From the given NFAs, decide whether the two accept the same language



(f) Let $L = \{0, 1\}^*$; construct NFA with ϵ moves that accepts L^2 .

2. Attempt any two parts of the following :

(a) Construct a DFA accepting the following language :

$$(010 + 00)^*(10)^*$$

(b) Let r_1 and r_2 be two regular expressions defined as follows:

$$r_1 = (00^*1)^*1$$

$$\text{and } r_2 = 1 + 0(0 + 10)^*11.$$

Prove that $r_1 = r_2$.

(c) Prove that the language

$$L = \{0^n \mid n \text{ is prime}\}$$

is not regular.

3. Attempt any two parts of the following :

(a) Find a Context Free Grammar (CFG) generating the following language :

$$L = \{a^i b^j c^k \mid i = j \text{ or } i = k\}$$

(b) Describe the language generated by the following grammar :

$$S \rightarrow bS/aA/\epsilon$$

$$A \rightarrow aA/bB/b$$

$$B \rightarrow bS$$

(c) Show that the given grammar is ambiguous. Also find an equivalent unambiguous grammar.

$$S \rightarrow ABA$$

$$A \rightarrow aA/\epsilon$$

$$B \rightarrow bB/\epsilon$$

4. Attempt any two parts of the following :

(a) Define a Push Down Automaton (PDA). Construct a PDA accepting the language of palindromes.

(b) Construct a deterministic PDA for the following language :

$$L = \{x \in \{a, b\}^* \mid n_a(x) \neq n_b(x)\}$$

where $n_a(x)$: number of a's in the string x

$n_b(x)$: number of b's in the string x

(c) Show that if L is a language of Deterministic PDA (DPDA) and R is regular then $L \cap R$ is a language of DPDA.

5. Attempt any two parts of the following :

(a) Construct a Turing machine for reversing a string.

(b) Let T_1 and T_2 be two Turing machines; compute the functions f_1 and f_2 from N to N (where N is a natural number), respectively, construct a Turing machine that computes the function $\min(f_1, f_2)$.

(c) Prove that every recursively enumerable language whose complement is closed must be recursive.