



Printed Pages : 4

TCS - 602

(Following Paper ID and Roll No. to be filled in your Answer Book)

**PAPER ID : 1078**

Roll No.

--	--	--	--	--	--	--	--	--	--

**B. Tech.****(SEM. VI) EXAMINATION, 2008-09****COMPUTER NETWORKS***Time : 3 Hours]**[Total Marks : 100***1** Attempt any FOUR parts of the following: **5×4=20**

- (a) What is the number of cable links required for  $n$  devices connected in mesh, ring, bus and star topology?
- (b) List the various layers of OSI model. Briefly explain the working of each of them.
- (c) Explain the different uses of computer network.
- (d) What is the total delay (latency) for a frame size of 10 million bits that is being set up on a link with 15 routers each having a queuing time of  $2 \mu s$ . and a processing time of  $1 \mu s$ ? The length of link is 3000 km. The speed of light inside the link is  $2 \times 10^8$  m/s. The link has bandwidth of 6 Mbps.
- (e) Two network each provide reliable connection oriented service. One of them offers reliable byte stream and other reliable message stream. Are these indential? Justify your answer.

1078]



1

[Contd..

- (f) How long does it take to transmit an 8 inch by 10 inch image by facsimile over an ISDN B channel? The facimile digitizes the image into 300 pixel per inich and assign 4 bits per pixel.

2 Attempt any **four** parts of the following: **5×4=20**

- (a) What is hamming code? Explain its working by suitable example.
- (b) A channel has a bit rate of 4 Kbps and propogation delay of 20 msce. What will be the size of frame range so that stop and wait give an efficiency of at least 50 percent ?
- (c) How FDDI ring can be used as a back bone to connect LANs and computers? Also discuss the FDDI cabling in brief.
- (d) Compare the delay of pure ALOHA to slotted ALOHA at low load.
- (e) What are the problems faced by pipelining over an unreliable communication channel? How these problems are overcome?
- (f) Explain the following protocols :
- (i) Adaptive tree walk.
  - (ii) Binary exponential Back off algorithm.



**3** Attempt any **two** parts of the following: **10×2=20**

- (a) (i) Differentiate between adaptive and non-adaptive routing algorithms.
- (ii) What are the limitations of leaky bucket algorithm? How these are overcome?
- (b) (i) What do you understand by internetworking? Discuss the parameters on which networks differ.
- (ii) If fragmentation needed in concatenated virtual circuit internets, or only in datagram system? Explain.
- (c) What are the deficiencies of IPv4? How IPv6 was modified to overcome these deficiencies? What are the advantages of using IPv6?

**4** Attempt any **two** parts of the following: **10×2=20**

- (a) Discuss the transport service primitives. What do you understand by the term : "Three way handshake"? Explain the problem which is solved by this three way handshake.
- (b) Explain the TCP segment header. Also discuss the TCP connection management.
- (c) (i) Explain the protocol of Transport layer designed for multimedia application.
- (ii) What is the procedure for compressing data using run-length encoding ?



5 Attempt any **two** parts of the following: **10×2=20**

- (a) Explain simple Network Management Protocol.  
List its various components and briefly discuss each of them.
- (b) (i) When web pages are sent out, they are prefixed by MIME headers. Why?
- (ii) Explain the working of digital signature.
- (c) Write short notes on any **two**:
- (i) DNS
- (ii) Vertical Terminal
- (iii) USENET.
-